

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20150508-E98049  
**Report Reference** E98049-20070328  
**Issue Date** 2015-MAY-08

**Issued to:** BENDER & WIRTH GMBH & CO  
VOLMESTRASSE 161  
58566 KIERSPE GERMANY

**This is to certify that representative samples of** COMPONENT - LAMP HOLDERS, MISCELLANEOUS  
USR-CNR: Component, Miscellaneous Lampholder. Cat. Nos.: 884.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** UL 496 Lampholders  
CSA-C22.2 No. 43 Lampholders

**Additional Information:** See the UL Online Certifications Directory at [www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for use as components of complete equipment submitted for investigation rather than for direct separate installation in the field. The final acceptance of the component is dependent upon its installation and use in complete equipment submitted to UL LLC.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# Certificate of Compliance

Certificate Number **020407 - E98049**  
Report Reference **E98049, March 28th, 2007**  
Issue Date **2007 April 2**

Page 1 of 2



*Issued to:* **BENDER & WIRTH GMBH & CO**  
**VOLMESTRASSE 161**  
**58566 KIERSPE GERMANY**

*This is to certify that  
representative samples of*



**Miscellaneous Lampholder.**  
**Cat. Nos.: 884.**

*Have been investigated by Underwriters Laboratories Inc.® (UL) or any authorized  
licensee of UL in accordance with the Standard(s) indicated on this Certificate..*

*Standard(s) for Safety:* **UL 496, Lampholders**  
**CSA-C22.2 No.43, Lampholders**

*Additional Information:* **See Addendum for Electrical Ratings**

Only those products bearing the UL Recognized Component Marks for the U.S. and Canada should be considered as being covered by UL's Recognition and Follow-Up Service and meeting the appropriate U.S. and Canadian requirements.

The UL Recognized Component Mark for the U.S. generally consists of the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory. As a supplementary means of identifying products that have been produced under UL's Component Recognition Program, UL's Recognized Component Mark:  may be used in conjunction with the required Recognized Marks. The Recognized Component Mark is required when specified in the UL Directory preceding the recognitions or under "Markings" for the individual recognitions. The UL Recognized Component Mark for Canada consists of the UL Recognized Mark for Canada:  and the manufacturer's identification and catalog number, model number or other product designation as specified under "Marking" for the particular Recognition as published in the appropriate UL Directory.

**Look for the UL Recognized Component Mark on the product**

Issued by: *Gianluigi Colonna*  
**Gianluigi Colonna, Associate Project Engineer**

UL International Italia Srl

Any information and documentation involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. (UL) or any authorized licensee of UL.  
For questions in Italy, you may call +39 039 6410 101.

Reviewed by: *Luca Tibaldini*  
**Luca Tibaldini, Engineering Group Leader**

UL International Italia Srl

Any information and documentation involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. (UL) or any authorized licensee of UL.

# Certificate of Compliance

Certificate Number **020407 - E98049**  
Report Reference **E98049, March 28th, 2007**  
Issue Date **2007 April 2**

Page 2 of 2



**Underwriters  
Laboratories Inc.®**

This is to verify that representative samples of the product as specified on this certificate were tested according to the current UR, cUR requirements.

#### ELETRICAL RATINGS:

MODEL	LAMP BASE	RATED VOLTAGE	RATED CURRENT
884	G5.3/GX5.3	250 V	12.5 A

Issued by: *Gianluigi Colonna*  
**Gianluigi Colonna, Associate Project Engineer**

UL International Italia Srl

Any information and documentation involving UL Mark services are provided on behalf of Underwriters Laboratories Inc. (UL) or any authorized licensee of UL/UL International Italia Srl

Reviewed by: *Luca Tibaldini*  
**Luca Tibaldini, Engineering Group Leader**

UL International Italia Srl

## DESCRIPTION

## PRODUCT COVERED:

USR-CNR: Component, Miscellaneous Lampholder. Cat. Nos.: 884.

## ENGINEERING CONSIDERATIONS (NOT FOR UL REPRESENTATIVE USE):

USR - indicates investigation to Underwriters Laboratories Standard UL 496, 12<sup>th</sup> ed.

CNR - Indicates investigation to Canadian Standard CAN/CSA-C22.2 No.43, 5<sup>th</sup> ed.

## GENERAL CHARACTER AND USE:

Model 884 covered by this report is intended for use with Type G5.3/GX5.3 halogen lamp, line voltage.

Use - The devices covered by this Report are for use only in complete equipment where the suitability of the combination is determined by Underwriters Laboratories Inc. The following should be ascertain in the end-use product.

## ELETRICAL RATINGS:

MODEL	LAMP BASE	RATED VOLTAGE	RATED CURRENT
884	G5.3/GX5.3	250 V	12.5 A

Conditions of Acceptability:

The following Conditions of Acceptability shall be determined to comply in the end-use application.

1. The suitability of the mounting means.
2. The model 884 is provided with 18AWG or 14AWG leads. The leads were subjected a 20 lbf Security Test of Lampholder Lead.
3. The devices have to be used within their electrical ratings.
4. Spacing of live part shall meet the spacing requirements of the equipment in which this device used.
5. All live parts shall be suitably enclosed in the end use application.
6. Polarity shall be verified in the end application.
7. This lampholder is for dry locations only.