


<b>Bemessungsspannung</b> rated voltage	<b>Standard 250V DC</b> optional 450V DC
<b>Bemessungsstrom</b> rated current	<b>5 A</b>
<b>Bemessungstemperatur</b> rated operating temperature	<b>T 120</b>
<b>Befestigung</b> fixing	<b>2 Schrauben M3</b> 2 screws M3
<b>max. Drehmoment</b> max. torque	<b>0,5 Nm</b>
<b>Material des Halters</b> material of the holder	<b>PBT / Mikanit</b> PBT / Mica
<b>Kontaktmaterial</b> contactmaterial	<b>CuSn</b> CuSn



**Zulässige COB Abmessungen**  
Permissible COB dimensions



<b>Länge / length</b>	13,2mm - 13,8mm
<b>Breite / width</b>	13,2mm - 13,8mm
<b>Dicke / height</b>	0,7mm - 1,2mm

**Zertifikate / certificates**



**Ausweis-Nr.**  
40050075



**File**  
E472943

**Weitere technische Daten und Montagehinweise sind im [Technical Guide COB Halterserie 630](#) enthalten.**  
Further technical details and mounting instructions are part of the [Technical Guide COB holder series 630](#).

**Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:**



<b>Hersteller / supplier</b>	<b>COB Typ / COB Type</b>	<b>Haltervariante / variant of holder</b>
Bridgelux	V6 HD Gen 7,8	<b>634c</b>
Bridgelux	V10 Gen 7,8,9	<b>634b</b>
Citizen	CLU 028 / 02J / 02Q	<b>634a</b>
Citizen	CLU 702 / 703 / 7A2 / 7A3 / 7B2	<b>634a</b>
CREE	CHA 0304 / 0410 / 0612	<b>634a</b>
CREE	CMA 1303 / 1306	<b>634c</b>
CREE	CMB 1304 / 1306	<b>634c</b>
CREE	CMT 1407 / 1412 / 1420	<b>634a</b>
CREE	CMU 1003 / 1006 / 1010 / 1013	<b>634a</b>
CREE	CXB 1304 / 1310	<b>634c</b>
Edison	2PHE 03 / 06 / 09 / 13	<b>634a</b>
Lextar	PB 06 / 09 / 13	<b>634a</b>
Lumileds	CS COB L02 / L04	<b>634a</b>
Lumileds	CX Plus HD S01H4, S0xH6	<b>634c</b>
Lumileds	CX Plus HD S04H9	<b>634b</b>
Lumileds	CX Plus S01Fx / S02Fx	<b>634c</b>

Luminus	CXM-3-xC	<b>634a</b>
Luminus	CHM-4-BH / CXM-4-xC	<b>634a</b>
Luminus	CHM-6-BH / CXM-6-xC	<b>634a</b>
Luminus	CIM/CLM/CXM-9-xC	<b>634a</b>
Philips	Fortimo SLM12xx .. 1313 G7N	<b>634a</b>
Prolight Opto	PASB	<b>634a</b>
Prolight Opto	PASQ/PAPQ DimToWarm	<b>634a</b>
Samsung	LC 010C	<b>634a</b>
Samsung	LC 003D / 006D	<b>634a</b>
Samsung	LC 009D / 013D	<b>634a</b>
Seoul	SAW* 0661	<b>634b</b>
Seoul	SAW* 1062 / 1063	<b>634b</b>
Tridonic	SLE ADV8 LES 04 / 06	<b>634a optional 634b</b>
Tridonic	SLE ADV8 LES 09	<b>634a optional 634b</b>
Tridonic	SLE SNC8 LES 06	<b>634a</b>
Tridonic	SLE SNC8 LES 09	<b>634a</b>
VS Lighting	DMS 102 ***W	<b>634a</b>
VS Lighting	DMS 124 ***W	<b>634a</b>
VS Lighting	VCA 042	<b>634b optional 634a</b>
VS Lighting	VCA2 122 / 123 / 124	<b>634b optional 634a</b>
VS Lighting	WU-M-618 DimToWarm	<b>634a</b>
Xicato	XOB 04	<b>634b optional 634a</b>
Xicato	XOB 06 (B)	<b>634b optional 634a</b>
Xicato	XOB 09	<b>634a</b>

**Die Halter sind erhältlich in unterschiedlichen Gehäuseformen. Alle Varianten sind nachfolgend aufgelistet :**  
The holders are available will different housings. All possible variants are listed below :

Gehäuse Typ: Housing:	<h1>LowProfile</h1>	Größe / Size :	44 mm
		Höhe / Height :	3,4 mm

Beispiele für passende Optiken examples of suitable optics	LEDIL STELLA-T4, -VSM, -DWC2, -G2-T2, -G2-T3, -G2-T4  KHATOD COSMO 70/90mm
---	--





**Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:**

Hersteller supplier	COB Typ COB Type	Teile-Nr. part no.	Haltervariante variant of holder
Bridgelux	V6 HD Gen 7,8	<b>47870</b>	COB Holder Hybrid 634c LowProfile
Bridgelux	V10 Gen 7,8,9	<b>47866</b>	COB Holder Hybrid 634b LowProfile
Citizen	CLU 028 / 02J / 02Q	<b>47659</b>	COB Holder Hybrid 634a LowProfile
Citizen	CLU 702 / 703 / 7A2 / 7A3 / 7B2	<b>47659</b>	COB Holder Hybrid 634a LowProfile
CREE	CHA 0304 / 0410 / 0612	<b>47659</b>	COB Holder Hybrid 634a LowProfile
CREE	CMA 1303 / 1306	<b>47870</b>	COB Holder Hybrid 634c LowProfile
CREE	CMB 1304 / 1306	<b>47870</b>	COB Holder Hybrid 634c LowProfile
CREE	CMT 1407 / 1412 / 1420	<b>47659</b>	COB Holder Hybrid 634a LowProfile
CREE	CMU 1003 / 1006 / 1010 / 1013	<b>47659</b>	COB Holder Hybrid 634a LowProfile
CREE	CXB 1304 / 1310	<b>47870</b>	COB Holder Hybrid 634c LowProfile
Edison	2PHE 03 / 06 / 09 / 13	<b>47659</b>	COB Holder Hybrid 634a LowProfile
Lextar	PB 06 / 09 / 13	<b>47659</b>	COB Holder Hybrid 634a LowProfile
Lumileds	CS COB L02 / L04	<b>47659</b>	COB Holder Hybrid 634a LowProfile
Lumileds	CX Plus HD S01H4, S0xH6	<b>47870</b>	COB Holder Hybrid 634c LowProfile
Lumileds	CX Plus HD S04H9	<b>47866</b>	COB Holder Hybrid 634b LowProfile
Lumileds	CX Plus S01Fx / S02Fx	<b>47870</b>	COB Holder Hybrid 634c LowProfile

Luminus	CXM-3-xC	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Luminus	CHM-4-BH / CXM-4-xC	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Luminus	CHM-6-BH / CXM-6-xC	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Luminus	CIM/CLM/CXM-9-xC	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Philips	Fortimo SLM12xx .. 1313 G7N	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Prolight Opto	PASB	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Prolight Opto	PASQ/PAPQ DimToWarm	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Samsung	LC 010C	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Samsung	LC 003D / 006D	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Samsung	LC 009D / 013D	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Seoul	SAW* 0661	<b>47866</b>	COB Holder Hybrid 634b	LowProfile
Seoul	SAW* 1062 / 1063	<b>47866</b>	COB Holder Hybrid 634b	LowProfile
Tridonic	SLE ADV8 LES 04 / 06	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Tridonic	SLE ADV8 LES 09	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Tridonic	SLE SNC8 LES 06	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Tridonic	SLE SNC8 LES 09	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
VS Lighting	DMS 102 ***W	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
VS Lighting	DMS 124 ***W	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
VS Lighting	VCA 042	<b>47866</b>	COB Holder Hybrid 634b	LowProfile
VS Lighting	VCA2 122 / 123 / 124	<b>47866</b>	COB Holder Hybrid 634b	LowProfile
VS Lighting	WU-M-618 DimToWarm	<b>47659</b>	COB Holder Hybrid 634a	LowProfile
Xicato	XOB 04	<b>47866</b>	COB Holder Hybrid 634b	LowProfile
Xicato	XOB 06 (B)	<b>47866</b>	COB Holder Hybrid 634b	LowProfile
Xicato	XOB 09	<b>47659</b>	COB Holder Hybrid 634a	LowProfile

<b>Gehäusetyp:</b> Housing:	<h1>Hekla</h1>	<b>Größe / Size :</b>	<b>44 mm</b>
		<b>Höhe / Height :</b>	<b>5,5 mm</b>

<b>Beispiele für passende Optiken</b> examples of suitable optics	<b>LEDiL BARBARA-G2, MIRELLA-G2, BROOKE-G2, CARMEN 50/70, ZORYA-C</b>
	<b>LEDiL ADELIA-C 50/70/110, ILONA/ILONA ZOOM, RONDA-C, WINNIE-C</b>
	<b>LEDiL AMY/AMY ZOOM (-C) 50/70, YASMEEN/YASMEEN ZOOM (-C) 50/70</b>



**Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:**

Hersteller supplier	COB Typ COB Type	Teile-Nr. part no.	Haltervariante variant of holder
Bridgelux	V6 HD Gen 7,8	<b>47868</b>	COB Holder Hybrid 634c Hekla
Bridgelux	V10 Gen 7,8,9	<b>47864</b>	COB Holder Hybrid 634b Hekla
Citizen	CLU 028 / 02J / 02Q	<b>47505</b>	COB Holder Hybrid 634a Hekla
Citizen	CLU 702 / 703 / 7A2 / 7A3 / 7B2	<b>47505</b>	COB Holder Hybrid 634a Hekla
CREE	CHA 0304 / 0410 / 0612	<b>47505</b>	COB Holder Hybrid 634a Hekla
CREE	CMA 1303 / 1306	<b>47868</b>	COB Holder Hybrid 634c Hekla
CREE	CMB 1304 / 1306	<b>47868</b>	COB Holder Hybrid 634c Hekla
CREE	CMT 1407 / 1412 / 1420	<b>47505</b>	COB Holder Hybrid 634a Hekla
CREE	CMU 1003 / 1006 / 1010 / 1013	<b>47505</b>	COB Holder Hybrid 634a Hekla
CREE	CXB 1304 / 1310	<b>47868</b>	COB Holder Hybrid 634c Hekla
Edison	2PHE 03 / 06 / 09 / 13	<b>47505</b>	COB Holder Hybrid 634a Hekla
Lextar	PB 06 / 09 / 13	<b>47505</b>	COB Holder Hybrid 634a Hekla
Lumileds	CS COB L02 / L04	<b>47505</b>	COB Holder Hybrid 634a Hekla
Lumileds	CX Plus HD S01H4, S0xH6	<b>47868</b>	COB Holder Hybrid 634c Hekla
Lumileds	CX Plus HD S04H9	<b>47864</b>	COB Holder Hybrid 634b Hekla
Lumileds	CX Plus S01Fx / S02Fx	<b>47868</b>	COB Holder Hybrid 634c Hekla

Luminus	CXM-3-xC	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Luminus	CHM-4-BH / CXM-4-xC	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Luminus	CHM-6-BH / CXM-6-xC	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Luminus	CIM/CLM/CXM-9-xC	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Philips	Fortimo SLM12xx .. 1313 G7N	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Prolight Opto	PASB	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Prolight Opto	PASQ/PAPQ DimToWarm	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Samsung	LC 010C	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Samsung	LC 003D / 006D	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Samsung	LC 009D / 013D	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Seoul	SAW* 0661	<b>47864</b>	COB Holder Hybrid 634b	Hekla
Seoul	SAW* 1062 / 1063	<b>47864</b>	COB Holder Hybrid 634b	Hekla
Tridonic	SLE ADV8 LES 04 / 06	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Tridonic	SLE ADV8 LES 09	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Tridonic	SLE SNC8 LES 06	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Tridonic	SLE SNC8 LES 09	<b>47505</b>	COB Holder Hybrid 634a	Hekla
VS Lighting	DMS 102 ***W	<b>47505</b>	COB Holder Hybrid 634a	Hekla
VS Lighting	DMS 124 ***W	<b>47505</b>	COB Holder Hybrid 634a	Hekla
VS Lighting	VCA 042	<b>47864</b>	COB Holder Hybrid 634b	Hekla
VS Lighting	VCA2 122 / 123 / 124	<b>47864</b>	COB Holder Hybrid 634b	Hekla
VS Lighting	WU-M-618 DimToWarm	<b>47505</b>	COB Holder Hybrid 634a	Hekla
Xicato	XOB 04	<b>47864</b>	COB Holder Hybrid 634b	Hekla
Xicato	XOB 06 (B)	<b>47864</b>	COB Holder Hybrid 634b	Hekla
Xicato	XOB 09	<b>47505</b>	COB Holder Hybrid 634a	Hekla

Gehäusetyp: Housing:	<h1>Bayonet35/20</h1>	Größe / Size :	32 mm
		Höhe / Height :	3,6 mm

Beispiele für passende Optiken examples of suitable optics	LEDIL AMY/ AMY ZOOM (-B), YASMEEN / YASMEEN ZOOM (-B)  GAGGIONE HADAR70H40* (-ZOOM)  HERCULUX KIRIN HOLDER D35
---	--

Version 1 **Bayonet35/20** : 634x, 652x, 660x, 667x

**Durchmesser/diameter 32mm**      **Befestigungsabstand/fixing distance 20mm**

Spezielle Schraube mit flachem Kopf erforderlich  
 Special flat head screw required  
  
 e.g. 48279  
 M3 x 8mm

Das Gehäuse B35/20 bietet den großen Vorteil, dass die Leitungen unterhalb der 35mm Optik um den Halter geführt werden können. Damit kann der Durchmesser von kleinen Leuchten reduziert werden.

Housing B35/20 allows as major advantage to trace the wires around the holder below the 35mm optics. This feature helps to optimize the inner space in the fixture housing.

**Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:**

Hersteller supplier	COB Typ COB Type	Teile-Nr. part no.	Haltervariante variant of holder
Bridgelux	V6 HD Gen 7,8	<b>49046</b>	COB Holder Hybrid 634c Bayonet35/20
Bridgelux	V10 Gen 7,8,9	<b>49047</b>	COB Holder Hybrid 634b Bayonet35/20
Citizen	CLU 028 / 02J / 02Q	<b>49039</b>	COB Holder Hybrid 634a Bayonet35/20
Citizen	CLU 702 / 703 / 7A2 / 7A3 / 7B2	<b>49039</b>	COB Holder Hybrid 634a Bayonet35/20
CREE	CHA 0304 / 0410 / 0612	<b>49039</b>	COB Holder Hybrid 634a Bayonet35/20
CREE	CMA 1303 / 1306	<b>49046</b>	COB Holder Hybrid 634c Bayonet35/20
CREE	CMB 1304 / 1306	<b>49046</b>	COB Holder Hybrid 634c Bayonet35/20
CREE	CMT 1407 / 1412 / 1420	<b>49039</b>	COB Holder Hybrid 634a Bayonet35/20
CREE	CMU 1003 / 1006 / 1010 / 1013	<b>49039</b>	COB Holder Hybrid 634a Bayonet35/20
CREE	CXB 1304 / 1310	<b>49046</b>	COB Holder Hybrid 634c Bayonet35/20
Edison	2PHE 03 / 06 / 09 / 13	<b>49039</b>	COB Holder Hybrid 634a Bayonet35/20
Lextar	PB 06 / 09 / 13	<b>49039</b>	COB Holder Hybrid 634a Bayonet35/20
Lumileds	CS COB L02 / L04	<b>49039</b>	COB Holder Hybrid 634a Bayonet35/20
Lumileds	CX Plus HD S01H4, S0xH6	<b>49046</b>	COB Holder Hybrid 634c Bayonet35/20
Lumileds	CX Plus HD S04H9	<b>49047</b>	COB Holder Hybrid 634b Bayonet35/20
Lumileds	CX Plus S01Fx / S02Fx	<b>49046</b>	COB Holder Hybrid 634c Bayonet35/20

Luminus	CXM-3-xC	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Luminus	CHM-4-BH / CXM-4-xC	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Luminus	CHM-6-BH / CXM-6-xC	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Luminus	CIM/CLM/CXM-9-xC	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Philips	Fortimo SLM12xx .. 1313 G7N	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Prolight Opto	PASB	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Prolight Opto	PASQ/PAPQ DimToWarm	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Samsung	LC 010C	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Samsung	LC 003D / 006D	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Samsung	LC 009D / 013D	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Seoul	SAW* 0661	<b>49047</b>	COB Holder Hybrid 634b	Bayonet35/20
Seoul	SAW* 1062 / 1063	<b>49047</b>	COB Holder Hybrid 634b	Bayonet35/20
Tridonic	SLE ADV8 LES 04 / 06	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Tridonic	SLE ADV8 LES 09	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Tridonic	SLE SNC8 LES 06	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Tridonic	SLE SNC8 LES 09	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
VS Lighting	DMS 102 ***W	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
VS Lighting	DMS 124 ***W	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
VS Lighting	VCA 042	<b>49047</b>	COB Holder Hybrid 634b	Bayonet35/20
VS Lighting	VCA2 122 / 123 / 124	<b>49047</b>	COB Holder Hybrid 634b	Bayonet35/20
VS Lighting	WU-M-618 DimToWarm	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20
Xicato	XOB 04	<b>49047</b>	COB Holder Hybrid 634b	Bayonet35/20
Xicato	XOB 06 (B)	<b>49047</b>	COB Holder Hybrid 634b	Bayonet35/20
Xicato	XOB 09	<b>49039</b>	COB Holder Hybrid 634a	Bayonet35/20



Gehäusetyp: Housing:	<h1>Bayonet35/25</h1>	Größe / Size :	35 mm
		Höhe / Height :	3,5 mm



Beispiele für passende Optiken examples of suitable optics	LEDIL AMY/ AMY ZOOM (-B), YASMEEN / YASMEEN ZOOM (-B)  GAGGIONE HADAR70H40* (-ZOOM)  HERCULUX KIRIN HOLDER D35
---	--

Version 2 **Bayonet35/25** : 633x, 634x, 641x

Durchmesser/diameter **35mm**

Befestigungsabstand/fixing distance **25mm**

**NEW**



Spezielle Schraube mit flachem Kopf erforderlich  
Special flat head screw required

e.g. 48279



**Neue Halterserie in den standardisierten Abmessungen B35/25.**

**New holder version in standardized B35/25 dimensions.**


**Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:**

Hersteller supplier	COB Typ COB Type	Teile-Nr. part no.	Haltervariante variant of holder
Bridgelux	V6 HD Gen 7,8	<b>50236</b>	COB Holder Hybrid 634c Bayonet35/25
Bridgelux	V10 Gen 7,8,9	<b>50199</b>	COB Holder Hybrid 634b Bayonet35/25
Citizen	CLU 028 / 02J / 02Q	<b>50204</b>	COB Holder Hybrid 634a Bayonet35/25
Citizen	CLU 702 / 703 / 7A2 / 7A3 / 7B2	<b>50204</b>	COB Holder Hybrid 634a Bayonet35/25
CREE	CHA 0304 / 0410 / 0612	<b>50204</b>	COB Holder Hybrid 634a Bayonet35/25
CREE	CMA 1303 / 1306	<b>50236</b>	COB Holder Hybrid 634c Bayonet35/25
CREE	CMB 1304 / 1306	<b>50236</b>	COB Holder Hybrid 634c Bayonet35/25
CREE	CMT 1407 / 1412 / 1420	<b>50204</b>	COB Holder Hybrid 634a Bayonet35/25
CREE	CMU 1003 / 1006 / 1010 / 1013	<b>50204</b>	COB Holder Hybrid 634a Bayonet35/25
CREE	CXB 1304 / 1310	<b>50236</b>	COB Holder Hybrid 634c Bayonet35/25
Edison	2PHE 03 / 06 / 09 / 13	<b>50204</b>	COB Holder Hybrid 634a Bayonet35/25
Lextar	PB 06 / 09 / 13	<b>50204</b>	COB Holder Hybrid 634a Bayonet35/25
Lumileds	CS COB L02 / L04	<b>50204</b>	COB Holder Hybrid 634a Bayonet35/25
Lumileds	CX Plus HD S01H4, S0xH6	<b>50236</b>	COB Holder Hybrid 634c Bayonet35/25
Lumileds	CX Plus HD S04H9	<b>50199</b>	COB Holder Hybrid 634b Bayonet35/25
Lumileds	CX Plus S01Fx / S02Fx	<b>50236</b>	COB Holder Hybrid 634c Bayonet35/25

Luminus	CXM-3-xC	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Luminus	CHM-4-BH / CXM-4-xC	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Luminus	CHM-6-BH / CXM-6-xC	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Luminus	CIM/CLM/CXM-9-xC	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Philips	Fortimo SLM12xx .. 1313 G7N	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Prolight Opto	PASB	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Prolight Opto	PASQ/PAPQ DimToWarm	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Samsung	LC 010C	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Samsung	LC 003D / 006D	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Samsung	LC 009D / 013D	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Seoul	SAW* 0661	<b>50199</b>	COB Holder Hybrid 634b	Bayonet35/25
Seoul	SAW* 1062 / 1063	<b>50199</b>	COB Holder Hybrid 634b	Bayonet35/25
Tridonic	SLE ADV8 LES 04 / 06	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Tridonic	SLE ADV8 LES 09	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Tridonic	SLE SNC8 LES 06	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Tridonic	SLE SNC8 LES 09	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
VS Lighting	DMS 102 ***W	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
VS Lighting	DMS 124 ***W	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
VS Lighting	VCA 042	<b>50199</b>	COB Holder Hybrid 634b	Bayonet35/25
VS Lighting	VCA2 122 / 123 / 124	<b>50199</b>	COB Holder Hybrid 634b	Bayonet35/25
VS Lighting	WU-M-618 DimToWarm	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25
Xicato	XOB 04	<b>50199</b>	COB Holder Hybrid 634b	Bayonet35/25
Xicato	XOB 06 (B)	<b>50199</b>	COB Holder Hybrid 634b	Bayonet35/25
Xicato	XOB 09	<b>50204</b>	COB Holder Hybrid 634a	Bayonet35/25

Gehäusetyp: Housing:	<h1>Bayonet50</h1>	Größe / Size :	50 mm
		Höhe / Height :	4,9 mm

Beispiele für passende Optiken examples of suitable optics	LEDIL ANGELA-B, ANGELINA-B, ANGELETTE-B, ZORYA-B, ADELIA-B 50/70/110 GAGGIONE LLR07M, LLR27M, HADAR70H41* HERCULUX KIRIN HOLDER D50
---	---




**Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:**

Hersteller supplier	COB Typ COB Type	Teile-Nr. part no.	Haltervariante variant of holder
Bridgelux	V6 HD Gen 7,8	<b>47414</b>	COB Holder Hybrid 634c Bayonet50
Bridgelux	V10 Gen 7,8,9	<b>47413</b>	COB Holder Hybrid 634b Bayonet50
Citizen	CLU 028 / 02J / 02Q	<b>47412</b>	COB Holder Hybrid 634a Bayonet50
Citizen	CLU 702 / 703 / 7A2 / 7A3 / 7B2	<b>47412</b>	COB Holder Hybrid 634a Bayonet50
CREE	CHA 0304 / 0410 / 0612	<b>47412</b>	COB Holder Hybrid 634a Bayonet50
CREE	CMA 1303 / 1306	<b>47414</b>	COB Holder Hybrid 634c Bayonet50
CREE	CMB 1304 / 1306	<b>47414</b>	COB Holder Hybrid 634c Bayonet50
CREE	CMT 1407 / 1412 / 1420	<b>47412</b>	COB Holder Hybrid 634a Bayonet50
CREE	CMU 1003 / 1006 / 1010 / 1013	<b>47412</b>	COB Holder Hybrid 634a Bayonet50
CREE	CXB 1304 / 1310	<b>47414</b>	COB Holder Hybrid 634c Bayonet50
Edison	2PHE 03 / 06 / 09 / 13	<b>47412</b>	COB Holder Hybrid 634a Bayonet50
Lextar	PB 06 / 09 / 13	<b>47412</b>	COB Holder Hybrid 634a Bayonet50
Lumileds	CS COB L02 / L04	<b>47412</b>	COB Holder Hybrid 634a Bayonet50
Lumileds	CX Plus HD S01H4, S0xH6	<b>47414</b>	COB Holder Hybrid 634c Bayonet50
Lumileds	CX Plus HD S04H9	<b>47413</b>	COB Holder Hybrid 634b Bayonet50
Lumileds	CX Plus S01Fx / S02Fx	<b>47414</b>	COB Holder Hybrid 634c Bayonet50

Luminus	CXM-3-xC	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Luminus	CHM-4-BH / CXM-4-xC	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Luminus	CHM-6-BH / CXM-6-xC	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Luminus	CIM/CLM/CXM-9-xC	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Philips	Fortimo SLM12xx .. 1313 G7N	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Prolight Opto	PASB	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Prolight Opto	PASQ/PAPQ DimToWarm	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Samsung	LC 010C	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Samsung	LC 003D / 006D	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Samsung	LC 009D / 013D	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Seoul	SAW* 0661	<b>47413</b>	COB Holder Hybrid 634b	Bayonet50
Seoul	SAW* 1062 / 1063	<b>47413</b>	COB Holder Hybrid 634b	Bayonet50
Tridonic	SLE ADV8 LES 04 / 06	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Tridonic	SLE ADV8 LES 09	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Tridonic	SLE SNC8 LES 06	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Tridonic	SLE SNC8 LES 09	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
VS Lighting	DMS 102 ***W	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
VS Lighting	DMS 124 ***W	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
VS Lighting	VCA 042	<b>47413</b>	COB Holder Hybrid 634b	Bayonet50
VS Lighting	VCA2 122 / 123 / 124	<b>47413</b>	COB Holder Hybrid 634b	Bayonet50
VS Lighting	WU-M-618 DimToWarm	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50
Xicato	XOB 04	<b>47413</b>	COB Holder Hybrid 634b	Bayonet50
Xicato	XOB 06 (B)	<b>47413</b>	COB Holder Hybrid 634b	Bayonet50
Xicato	XOB 09	<b>47412</b>	COB Holder Hybrid 634a	Bayonet50

Gehäuse Typ: Housing:	<h1>Bayonet50G</h1>	Größe / Size :	50 mm
		Höhe / Height :	4,5 mm

Beispiele für passende Optiken examples of suitable optics	<b>GAGGIONE HADAR70H10* (-ZOOM)</b>  <b>GAGGIONE LLC66 / LLC79 / SIRIUS50 ZOOM</b>  <b>GAGGIONE VEGA50 / UFO45 / UFO67</b>
---	--




**Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:**

Hersteller supplier	COB Typ COB Type	Teile-Nr. part no.	Haltervariante variant of holder
Bridgelux	V6 HD Gen 7,8	<b>48346</b>	COB Holder Hybrid 634c Bayonet50G
Bridgelux	V10 Gen 7,8,9	<b>48345</b>	COB Holder Hybrid 634b Bayonet50G
Citizen	CLU 028 / 02J / 02Q	<b>48310</b>	COB Holder Hybrid 634a Bayonet50G
Citizen	CLU 702 / 703 / 7A2 / 7A3 / 7B2	<b>48310</b>	COB Holder Hybrid 634a Bayonet50G
CREE	CHA 0304 / 0410 / 0612	<b>48310</b>	COB Holder Hybrid 634a Bayonet50G
CREE	CMA 1303 / 1306	<b>48346</b>	COB Holder Hybrid 634c Bayonet50G
CREE	CMB 1304 / 1306	<b>48346</b>	COB Holder Hybrid 634c Bayonet50G
CREE	CMT 1407 / 1412 / 1420	<b>48310</b>	COB Holder Hybrid 634a Bayonet50G
CREE	CMU 1003 / 1006 / 1010 / 1013	<b>48310</b>	COB Holder Hybrid 634a Bayonet50G
CREE	CXB 1304 / 1310	<b>48346</b>	COB Holder Hybrid 634c Bayonet50G
Edison	2PHE 03 / 06 / 09 / 13	<b>48310</b>	COB Holder Hybrid 634a Bayonet50G
Lextar	PB 06 / 09 / 13	<b>48310</b>	COB Holder Hybrid 634a Bayonet50G
Lumileds	CS COB L02 / L04	<b>48310</b>	COB Holder Hybrid 634a Bayonet50G
Lumileds	CX Plus HD S01H4, S0xH6	<b>48346</b>	COB Holder Hybrid 634c Bayonet50G
Lumileds	CX Plus HD S04H9	<b>48345</b>	COB Holder Hybrid 634b Bayonet50G
Lumileds	CX Plus S01Fx / S02Fx	<b>48346</b>	COB Holder Hybrid 634c Bayonet50G

Luminus	CXM-3-xC	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Luminus	CHM-4-BH / CXM-4-xC	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Luminus	CHM-6-BH / CXM-6-xC	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Luminus	CIM/CLM/CXM-9-xC	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Philips	Fortimo SLM12xx .. 1313 G7N	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Prolight Opto	PASB	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Prolight Opto	PASQ/PAPQ DimToWarm	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Samsung	LC 010C	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Samsung	LC 003D / 006D	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Samsung	LC 009D / 013D	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Seoul	SAW* 0661	<b>48345</b>	COB Holder Hybrid 634b	Bayonet50G
Seoul	SAW* 1062 / 1063	<b>48345</b>	COB Holder Hybrid 634b	Bayonet50G
Tridonic	SLE ADV8 LES 04 / 06	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Tridonic	SLE ADV8 LES 09	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Tridonic	SLE SNC8 LES 06	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Tridonic	SLE SNC8 LES 09	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
VS Lighting	DMS 102 ***W	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
VS Lighting	DMS 124 ***W	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
VS Lighting	VCA 042	<b>48345</b>	COB Holder Hybrid 634b	Bayonet50G
VS Lighting	VCA2 122 / 123 / 124	<b>48345</b>	COB Holder Hybrid 634b	Bayonet50G
VS Lighting	WU-M-618 DimToWarm	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G
Xicato	XOB 04	<b>48345</b>	COB Holder Hybrid 634b	Bayonet50G
Xicato	XOB 06 (B)	<b>48345</b>	COB Holder Hybrid 634b	Bayonet50G
Xicato	XOB 09	<b>48310</b>	COB Holder Hybrid 634a	Bayonet50G

<b>Gehäusetyp:</b> Housing:	<h1>3Hook</h1>	<b>Größe / Size :</b>	<b>50 mm</b>
		<b>Höhe / Height :</b>	<b>5,9 mm</b>

<b>Beispiele für passende Optiken</b> examples of suitable optics	<b>LEDiL ANGELA, ANGELINA, ANGELETTE</b>  <b>LEDiL MOLLY, RONDA (HOLDER A)</b>  <b>CARCLO S1</b>
--	--



**Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:**



Hersteller supplier	COB Typ COB Type	Teile-Nr. part no.	Haltervariante variant of holder
Bridgelux	V6 HD Gen 7,8	<b>47867</b>	COB Holder Hybrid 634c 3Hook
Bridgelux	V10 Gen 7,8,9	<b>47863</b>	COB Holder Hybrid 634b 3Hook
Citizen	CLU 028 / 02J / 02Q	<b>47441</b>	COB Holder Hybrid 634a 3Hook
Citizen	CLU 702 / 703 / 7A2 / 7A3 / 7B2	<b>47441</b>	COB Holder Hybrid 634a 3Hook
CREE	CHA 0304 / 0410 / 0612	<b>47441</b>	COB Holder Hybrid 634a 3Hook
CREE	CMA 1303 / 1306	<b>47867</b>	COB Holder Hybrid 634c 3Hook
CREE	CMB 1304 / 1306	<b>47867</b>	COB Holder Hybrid 634c 3Hook
CREE	CMT 1407 / 1412 / 1420	<b>47441</b>	COB Holder Hybrid 634a 3Hook
CREE	CMU 1003 / 1006 / 1010 / 1013	<b>47441</b>	COB Holder Hybrid 634a 3Hook
CREE	CXB 1304 / 1310	<b>47867</b>	COB Holder Hybrid 634c 3Hook
Edison	2PHE 03 / 06 / 09 / 13	<b>47441</b>	COB Holder Hybrid 634a 3Hook
Lextar	PB 06 / 09 / 13	<b>47441</b>	COB Holder Hybrid 634a 3Hook
Lumileds	CS COB L02 / L04	<b>47441</b>	COB Holder Hybrid 634a 3Hook
Lumileds	CX Plus HD S01H4, S0xH6	<b>47867</b>	COB Holder Hybrid 634c 3Hook
Lumileds	CX Plus HD S04H9	<b>47863</b>	COB Holder Hybrid 634b 3Hook
Lumileds	CX Plus S01Fx / S02Fx	<b>47867</b>	COB Holder Hybrid 634c 3Hook

Luminus	CXM-3-xC	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Luminus	CHM-4-BH / CXM-4-xC	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Luminus	CHM-6-BH / CXM-6-xC	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Luminus	CIM/CLM/CXM-9-xC	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Philips	Fortimo SLM12xx .. 1313 G7N	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Prolight Opto	PASB	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Prolight Opto	PASQ/PAPQ DimToWarm	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Samsung	LC 010C	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Samsung	LC 003D / 006D	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Samsung	LC 009D / 013D	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Seoul	SAW* 0661	<b>47863</b>	COB Holder Hybrid 634b	3Hook
Seoul	SAW* 1062 / 1063	<b>47863</b>	COB Holder Hybrid 634b	3Hook
Tridonic	SLE ADV8 LES 04 / 06	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Tridonic	SLE ADV8 LES 09	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Tridonic	SLE SNC8 LES 06	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Tridonic	SLE SNC8 LES 09	<b>47441</b>	COB Holder Hybrid 634a	3Hook
VS Lighting	DMS 102 ***W	<b>47441</b>	COB Holder Hybrid 634a	3Hook
VS Lighting	DMS 124 ***W	<b>47441</b>	COB Holder Hybrid 634a	3Hook
VS Lighting	VCA 042	<b>47863</b>	COB Holder Hybrid 634b	3Hook
VS Lighting	VCA2 122 / 123 / 124	<b>47863</b>	COB Holder Hybrid 634b	3Hook
VS Lighting	WU-M-618 DimToWarm	<b>47441</b>	COB Holder Hybrid 634a	3Hook
Xicato	XOB 04	<b>47863</b>	COB Holder Hybrid 634b	3Hook
Xicato	XOB 06 (B)	<b>47863</b>	COB Holder Hybrid 634b	3Hook
Xicato	XOB 09	<b>47441</b>	COB Holder Hybrid 634a	3Hook



<b>Gehäusetyp:</b> Housing:	<h1>Lena</h1>	<b>Größe / Size :</b>	<b>50 mm</b>
		<b>Höhe / Height :</b>	<b>7,7 mm</b>

<b>Beispiele für passende Optiken</b> examples of suitable optics	<b>LEDiL LENA, LENINA</b>
--	---------------------------




**Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:**

Hersteller supplier	COB Typ COB Type	Teile-Nr. part no.	Haltervariante variant of holder
Bridgelux	V6 HD Gen 7,8	<b>47869</b>	COB Holder Hybrid 634c Lena
Bridgelux	V10 Gen 7,8,9	<b>47865</b>	COB Holder Hybrid 634b Lena
Citizen	CLU 028 / 02J / 02Q	<b>47444</b>	COB Holder Hybrid 634a Lena
Citizen	CLU 702 / 703 / 7A2 / 7A3 / 7B2	<b>47444</b>	COB Holder Hybrid 634a Lena
CREE	CHA 0304 / 0410 / 0612	<b>47444</b>	COB Holder Hybrid 634a Lena
CREE	CMA 1303 / 1306	<b>47869</b>	COB Holder Hybrid 634c Lena
CREE	CMB 1304 / 1306	<b>47869</b>	COB Holder Hybrid 634c Lena
CREE	CMT 1407 / 1412 / 1420	<b>47444</b>	COB Holder Hybrid 634a Lena
CREE	CMU 1003 / 1006 / 1010 / 1013	<b>47444</b>	COB Holder Hybrid 634a Lena
CREE	CXB 1304 / 1310	<b>47869</b>	COB Holder Hybrid 634c Lena
Edison	2PHE 03 / 06 / 09 / 13	<b>47444</b>	COB Holder Hybrid 634a Lena
Lextar	PB 06 / 09 / 13	<b>47444</b>	COB Holder Hybrid 634a Lena
Lumileds	CS COB L02 / L04	<b>47444</b>	COB Holder Hybrid 634a Lena
Lumileds	CX Plus HD S01H4, S0xH6	<b>47869</b>	COB Holder Hybrid 634c Lena
Lumileds	CX Plus HD S04H9	<b>47865</b>	COB Holder Hybrid 634b Lena
Lumileds	CX Plus S01Fx / S02Fx	<b>47869</b>	COB Holder Hybrid 634c Lena

Luminus	CXM-3-xC	<b>47444</b>	COB Holder Hybrid 634a	Lena
Luminus	CHM-4-BH / CXM-4-xC	<b>47444</b>	COB Holder Hybrid 634a	Lena
Luminus	CHM-6-BH / CXM-6-xC	<b>47444</b>	COB Holder Hybrid 634a	Lena
Luminus	CIM/CLM/CXM-9-xC	<b>47444</b>	COB Holder Hybrid 634a	Lena
Philips	Fortimo SLM12xx .. 1313 G7N	<b>47444</b>	COB Holder Hybrid 634a	Lena
Prolight Opto	PASB	<b>47444</b>	COB Holder Hybrid 634a	Lena
Prolight Opto	PASQ/PAPQ DimToWarm	<b>47444</b>	COB Holder Hybrid 634a	Lena
Samsung	LC 010C	<b>47444</b>	COB Holder Hybrid 634a	Lena
Samsung	LC 003D / 006D	<b>47444</b>	COB Holder Hybrid 634a	Lena
Samsung	LC 009D / 013D	<b>47444</b>	COB Holder Hybrid 634a	Lena
Seoul	SAW* 0661	<b>47865</b>	COB Holder Hybrid 634b	Lena
Seoul	SAW* 1062 / 1063	<b>47865</b>	COB Holder Hybrid 634b	Lena
Tridonic	SLE ADV8 LES 04 / 06	<b>47444</b>	COB Holder Hybrid 634a	Lena
Tridonic	SLE ADV8 LES 09	<b>47444</b>	COB Holder Hybrid 634a	Lena
Tridonic	SLE SNC8 LES 06	<b>47444</b>	COB Holder Hybrid 634a	Lena
Tridonic	SLE SNC8 LES 09	<b>47444</b>	COB Holder Hybrid 634a	Lena
VS Lighting	DMS 102 ***W	<b>47444</b>	COB Holder Hybrid 634a	Lena
VS Lighting	DMS 124 ***W	<b>47444</b>	COB Holder Hybrid 634a	Lena
VS Lighting	VCA 042	<b>47865</b>	COB Holder Hybrid 634b	Lena
VS Lighting	VCA2 122 / 123 / 124	<b>47865</b>	COB Holder Hybrid 634b	Lena
VS Lighting	WU-M-618 DimToWarm	<b>47444</b>	COB Holder Hybrid 634a	Lena
Xicato	XOB 04	<b>47865</b>	COB Holder Hybrid 634b	Lena
Xicato	XOB 06 (B)	<b>47865</b>	COB Holder Hybrid 634b	Lena
Xicato	XOB 09	<b>47444</b>	COB Holder Hybrid 634a	Lena

<b>Gehäusetyp:</b> Housing:	<b>Nata M30</b>	<b>Größe / Size :</b>	<b>44 mm</b>
		<b>Höhe / Height :</b>	<b>5,8 mm</b>

<b>Beispiele für passende Optiken</b> examples of suitable optics	<b>NATA M30 e.g. 1687M,1709M,1-0788M etc.</b>
--	---



Spezielle Schraube mit flachem Kopf erforderlich  
Special flat head screw required

e.g. 48279  
M3 x 8mm



**Teilumhüllter Halter für folgende COBs / unenclosed holder for the following COBs:**

Hersteller supplier	COB Typ COB Type	Teile-Nr. part no.	Haltervariante variant of holder
Bridgelux	V6 HD Gen 7,8	on request	COB Holder Hybrid 634c Nata M30
Bridgelux	V10 Gen 7,8,9	on request	COB Holder Hybrid 634b Nata M30
Citizen	CLU 028 / 02J / 02Q	48924	COB Holder Hybrid 634a Nata M30
Citizen	CLU 702 / 703 / 7A2 / 7A3 / 7B2	48924	COB Holder Hybrid 634a Nata M30
CREE	CHA 0304 / 0410 / 0612	48924	COB Holder Hybrid 634a Nata M30
CREE	CMA 1303 / 1306	on request	COB Holder Hybrid 634c Nata M30
CREE	CMB 1304 / 1306	on request	COB Holder Hybrid 634c Nata M30
CREE	CMT 1407 / 1412 / 1420	48924	COB Holder Hybrid 634a Nata M30
CREE	CMU 1003 / 1006 / 1010 / 1013	48924	COB Holder Hybrid 634a Nata M30
CREE	CXB 1304 / 1310	on request	COB Holder Hybrid 634c Nata M30
Edison	2PHE 03 / 06 / 09 / 13	48924	COB Holder Hybrid 634a Nata M30
Lextar	PB 06 / 09 / 13	48924	COB Holder Hybrid 634a Nata M30
Lumileds	CS COB L02 / L04	48924	COB Holder Hybrid 634a Nata M30
Lumileds	CX Plus HD S01H4, S0xH6	on request	COB Holder Hybrid 634c Nata M30
Lumileds	CX Plus HD S04H9	on request	COB Holder Hybrid 634b Nata M30
Lumileds	CX Plus S01Fx / S02Fx	on request	COB Holder Hybrid 634c Nata M30

Luminus	CXM-3-xC	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Luminus	CHM-4-BH / CXM-4-xC	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Luminus	CHM-6-BH / CXM-6-xC	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Luminus	CIM/CLM/CXM-9-xC	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Philips	Fortimo SLM12xx .. 1313 G7N	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Prolight Opto	PASB	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Prolight Opto	PASQ/PAPQ DimToWarm	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Samsung	LC 010C	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Samsung	LC 003D / 006D	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Samsung	LC 009D / 013D	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Seoul	SAW* 0661	<b>on request</b>	COB Holder Hybrid 634b	Nata M30
Seoul	SAW* 1062 / 1063	<b>on request</b>	COB Holder Hybrid 634b	Nata M30
Tridonic	SLE ADV8 LES 04 / 06	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Tridonic	SLE ADV8 LES 09	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Tridonic	SLE SNC8 LES 06	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Tridonic	SLE SNC8 LES 09	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
VS Lighting	DMS 102 ***W	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
VS Lighting	DMS 124 ***W	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
VS Lighting	VCA 042	<b>on request</b>	COB Holder Hybrid 634b	Nata M30
VS Lighting	VCA2 122 / 123 / 124	<b>on request</b>	COB Holder Hybrid 634b	Nata M30
VS Lighting	WU-M-618 DimToWarm	<b>48924</b>	COB Holder Hybrid 634a	Nata M30
Xicato	XOB 04	<b>on request</b>	COB Holder Hybrid 634b	Nata M30
Xicato	XOB 06 (B)	<b>on request</b>	COB Holder Hybrid 634b	Nata M30
Xicato	XOB 09	<b>48924</b>	COB Holder Hybrid 634a	Nata M30